Application No.: 10/589,237 Amendment
Art Unit: 1793 Attorney Docket No.: 062891

REMARKS

Claims 1-6 are pending. Claim 1 is amended herein. New claims 4-6 have been added

herein. Support for the amendments is found at least at page 3, lines 7-13 detailed

below. Support for the new claims is found at least at page 8, line 5 to page 13, Table 3 of the

specification.

Applicants' Response to the Objection to the Specification

The Office Action notes that the Preliminary Amendment to the specification refers to

paragraph [0020] as being located on page 3 of the specification. Applicants have corrected this

typographical error to recite page 6 as noted above.

Further, the amendments to the specification filed on August 14, 2008 are objected to on

the basis that they introduce new matter. Specifically, the Office Action asserts that the changes

to the nitrogen percentages are not supported by the original disclosure. In response to this

objection, applicants respectfully submit that there is sufficient basis within the specification

whereby one of skill in the art would discern that the nitrogen percentages listed are an error.

Paragraph [0020] and the cited examples of N content in table 1 paragraph [0031] are

sufficient evidence that the nitrogen percentages are in error. Specifically, paragraph [0020]

states that the limited range of nitrogen is 0.002 to 0.1 wt%. Further, the N wt% of examples 1-5

in Table 1 are all 0.012 or lower. As such, one of skill in the art would readily discern that the

recited preferable range in paragraph [0020] should read --0.005--. Further, one of skill in the art

- 5 -

Application No.: 10/589,237

Amendment

Art Unit: 1793 Attorney Docket No.: 062891

would readily discern that the nitrogen percentages in paragraphs [0032] and [0033] are likewise

errors based on Table 1. Wherefore, applicants respectfully request favorable reconsideration.

Applicants' Response to the Claim Objections

Claim 1 is object to because in the last two lines, Cr is listed twice. In response thereto,

applicants have deleted the repeated listing herein.

Applicants' Response to the Claim Rejections under 35 U.S.C. §103(e)

Claims 1-3 are rejected under 35 U.S.C. §103(a) as being unpatentable over Sagawa

et al. (EP 0 106 948).

As noted above, amended claim 1 recites that feature that the magnet material comprises

a R-O-F compound which is localized at triple points in the magnet.

Applicants respectfully submit that the presently claimed invention is not obvious over

Sagawa for at least the reasons that all the aspects of the claims are not disclosed either

specifically or inherently by the reference, and one of skill in the art would not be able to discern

the present invention based on the teachings of Sagawa.

In the present specification, the specific amount of fluorine added to a R-Fe-B base

permanent magnet forms a R-O-F compound which is localized at triple points in the magnet;

and that the R-O-F compound, when finely dispersed in the magnet, is effective for restraining

primary phase grains from abnormally growing during the sintering process of the R-Fe-B

- 6 -

Application No.: 10/589,237 Amendment

Art Unit: 1793 Attorney Docket No.: 062891

permanent magnet materials, thereby increasing the coercive force of the R-Fe-B permanent

magnet material.

Sagawa teaches a Fe-Co-B-R base magnetic material which may include additional

elements M. M may include Al, Cu, as well as Hf and other possible components of "M" in

applicants' claim 1. See pages 6-7 of Sagawa. In regard to C and O, the Office Action points to

the disclosures on pages 19-20 of Sagawa which teach allowable limits for impurities in atomic

percentages and in regard to N and F, the Office Action notes Sagawa teaches that these elements

may be present as impurities. Applicants note that the Examples of Sagawa do not describe

fluorine and nitrogen atoms at all, nor is there any disclosure in Sagawa beyond the mentioning

of unwanted impurities.

On the whole, Sagawa teaches that the components C, O, N and F are impurities, and

their presence in the final permanent magnet material is not desired, let alone required. Sagawa

fails to provide any reason whereby one of skill in the art would discern that a R-Fe-B permanent

magnet has a R-O-F compound according to the present invention. Nor is there any other

teaching within Sagawa which provides a reason for a skilled artisan to adjust an amount of F,

beyond minimizing the amount of impurities, to obtain any desired result or effect. Applicants'

specification teaches the opposite.

Applicants' disclosure, particularly for F, clearly demonstrates results which are not

expected from Sagawa. Namely, applicants' specification teaches that the presence of these

elements contribute to the benefit of the invention.

- 7 -

Under U.S. patent law, applicants can rebut a rejection under 35 U.S.C. §103(a) by showing the criticality of the claimed range. The applicant must show that the particular range is critical, generally by showing that the claimed range achieves unexpected results relative to the prior art range. *In re Woodruff*, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990). The evidence relied upon should establish "that the differences in results are in fact unexpected and unobvious and of both statistical and practical significance." *Ex parte Gelles*, 22 USPQ2d 1318, 1319 (Bd. Pat. App. & Inter. 1992).

Applicants' specification establishes that the range is critical and the results are unexpected. First, as recited in paragraph [0006] of the specification, the invention requires an appropriate amount of fluorine added to a R-Fe-B base permanent magnet in order to form a R-O-F compound (wherein R is one or more of Nd, Pr, Dy, Tb and Ho, O is oxygen, and F is fluorine). This compound is localized at triple points in the magnet and when finely dispersed in the magnet, is effective for restraining primary phase grains from abnormally growing during the sintering process of the R-Fe-B permanent magnet materials, thereby increasing the coercive force of the R-Fe-B permanent magnet material.

Direct evidence of the unexpected results is set forth in the specification by the comparison of Figs. 1 to Fig. 2, and in the examples to comparative examples of Tables 1-3. In Fig. 1, the magnet, having the critical range of F, had an average grain size of 6.28 µm and a sharp grain size distribution. See paragraph [0032]. Contrary, in Fig. 2, there is no F added and the magnet had an average grain size of 9.47 µm, indicating abnormally grown grains with a diameter of more than 20 µm. Further, Fig. 2 is based on Comparative Example 4 which

Art Unit: 1793 Attorney Docket No.: 062891

discloses that impurity amounts of F are present in the starting raw materials of Nd metal

(fluorine contents: less than 0.005 wt%) and Dy metal (fluorine contents: less than 0.005 wt%).

See paragraph [0033], page 10, lines 15-17. Hence, applicants' specification clearly indicates

that impurity amounts of F may be present, but they are insufficient if they are less than 0.001

wt.%.

Further, the upper limit of the claimed range of F is also critical as demonstrated by

Examples 7-14 and Comparative Examples 5-7 and 9-10 set forth in Tables 2 and 3.

Specifically, marked degradation of plating occurred when the amount of F added was equal to or

more than 2.6 wt.%. See paragraph [0034], page 11, lines 29-31. Further, when the amount of

fluorine added exceeded 4.1 wt%, the coercive force decreased beyond that of the fluorine-free

sample. See paragraph [0037], page 13, lines 7-9.

As noted above, Sagawa does not disclose that a component range for F is critical,

Sagawa only notes that impurity amounts of F may be present, and at least inherently implies that

F should be avoided as an unwanted impurity. Whereas, applicants have found that a limited

range of F present in the permanent magnet material is effective for restraining primary phase

grains from abnormally growing during the sintering process of the R-Fe-B permanent magnet

materials, thereby increasing the coercive force of the R-Fe-B permanent magnet material.

Hence, applicants have established unexpected results as required by U.S. patent law.

Wherefore, there is no basis for one of skill in the art to construe Sagawa so as to obtain

the presently claimed invention. As such, the present invention is not obvious in light of

Sagawa.

-9-

Application No.: 10/589,237

Amendment

Art Unit: 1793 Attorney Docket No.: 062891

Claims 1-3 are rejected under 35 U.S.C. §103(a) as being unpatentable over Yamamoto et al. (US 6,296,720) in view of Satoru (JP Pat. Doc. No. P3009687).

The Office asserts that Yamamoto teaches a rare earth-transition metal-boron alloy composition that with the exception of fluorine overlap to the alloy composition recited in each of applicants' claims, citing to column 2, lines 1 to 16 of Yamamoto. For the F feature of applicants' claims the Office Action cites to the English abstract of Satoru as teaching that "adding fluorine to a rare earth-transition metal-boron alloy improves the corrosion resistance of the rare earth-transition metal-boron alloy." Therefore, the Examiner concludes that one of skill in the art would have been motivated by the teaching of Saturo to add F to the rare earth-transition metal-boron alloy composition of Yamamoto to improve corrosion resistance.

First, applicants respectfully traverse the rejection at least on the basis that Saturo does not supply any motivation for adding only F to other alloy compositions, such as Yamamoto to improve corrosion resistance. Specifically, Saturo does not teach adding F will generally improve a rare earth-transition metal-boron alloy composition. Rather, Saturo discloses that a specific formulation of a sintered permanent magnet material, which includes a halogen, has improved corrosion resistance. This teaching is not a broad assertion that F or halogens generally improve corrosion resistance. As such, there is no reason for one of skill in the art to add only F or any halogen to the compound of Yamamoto on the basis that it will improve the material.

Satoru discloses a sintered permanent magnet material having a high corrosion resistant by incorporating 6 to 9% B, 0.01 to 0.5% Cu, 0.1 to 2% Al, and 0.01 to 1.0% x (F, Cl, Br or I).

Application No.: 10/589,237

Amendment

Art Unit: 1793 Attorney Docket No.: 062891

Yamamoto discloses a sintered, magnetically anisotropic permanent magnet of a rare

earth/iron/boron-based permanent magnet alloy composition without fluorine atoms.

One of skill in the art would readily ascertain that different alloys exhibit different

characteristics based on their specific compositions. One of skill in the art would not assume or

deduce from the teachings of Saturo that halogens are always beneficial to a rare earth-transition

metal-boron alloy composition. Wherefore, one of skill in the art does not have a reason to

combine Yamamoto with Saturo to derive the currently claimed invention.

Second, the cited references do not disclose the formation of R-O-F compound and the

feature due to the formation of R-O-F compound as recited by amended claim 1. Nor is there any

reason based on the teachings of Yamamoto and Satoru whereby one of skill in the art would

discern that an R-O-F compound should be formed and utilized. Specifically, there is no

disclosure that an R-O-F compound is effective for restraining primary phase grains from

abnormally growing during a sintering process of a R-Fe-B permanent magnet materials, thereby

increasing the coercive force of the R-Fe-B permanent magnet material. There is no disclosure in

any of the cited references which disclose this aspect of the invention or any other reason to form

the R-O-F compound.

As noted above in response to the rejection based on Sagawara, the claimed range

including F can impart the selective, excellent effects on coercive force and squareness, as is

proved by Examples and Comparative Examples. Thus, the amount of fluorine is not an

inevitable amount but an intentional amount. Therefore, even if Yamamoto and Satoru are

- 11 -

Application No.: 10/589,237

Art Unit: 1793

Amendment

Attorney Docket No.: 062891

combined, the feature of the present invention that the R-O-F compound is formed and finely

dispersed in the magnet is not present.

Wherefore, applicants respectfully submit that there is no reason for one of skill in the art

to derive the currently claimed invention and therefore the presently claimed invention is not

obvious.

In view of the aforementioned amendments and accompanying remarks, Applicants

submit that the claims, as herein amended, are in condition for allowance. Applicants request

such action at an early date.

If the Examiner believes that this application is not now in condition for allowance, the

Examiner is requested to contact Applicants' undersigned attorney to arrange for an interview to

expedite the disposition of this case.

If this paper is not timely filed, Applicants respectfully petition for an appropriate

extension of time. The fees for such an extension or any other fees that may be due with respect

to this paper may be charged to Deposit Account No. 50-2866.

Respectfully submitted,

WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP

Michael/J. Caridi

Attorney for Applicants

Registration No. 56,171

Telephone: (202) 822-1100

Facsimile: (202) 822-1111

MJC/ttw